

RPE Srl Leader in Fluid Management Control



800D Series Drain/Dump Valve

Direct Acting Solenoid Valve for Professional Cleaning Equipment, Commercial Ice Machines, Tank/Boiler Draining Systems and Beverage Equipment applications.

<u>www.rpesrl.it</u>








800DV Series – INLET ³/₄" Male Thread (BSPP)

Available Model options :

800DV Series – INLET Hose Tail 18mm



Each of these valve options are available with a VENT to help drain the water from the line, allowing it to maintain a cleaner system.


2



800D SERIES



3




Assembly: Bayonet



800D SERIES



4



OUTLET 0,3bar MAX

Hydraulic connections

Vont for a Laminar Elow	OUT:	 MALE THREAD ¾" BSPP HOSE TAIL 18mm HOSE TAIL 18mm with
VEILIUI d Lainindi FIUW		Vent for a Laminar Flow




800D SERIES Features & Benefits



Twist-lock bayonet connection for easy cleaning and maintenance of the valve.

Encapsulated coil provides high mechanical & dielectric strength and moisture resistant.

Nominal Diameter of 12.75 is able to supply a high flow.









800D SERIES Features & Benefits



The body of this valve is made of PA 66 GF30 NAT and the diaphragm of durable (LSR) Silicone, that provides an exceptional chemical resistant construction to withstand a variety of harsh water conditions.






Suitable for applications using water at temperatures up to 90°C (194°F)




800D SERIES Features & Benefits





The Pilot-operated diaphragm provides high flow capacity with minimum power requirements and its unique diaphragm design reduces unwanted particles from entering the armature area, minimize the possibility of jamming due to foreign materials.




Agency Certifications: RoHs, REACH, ISO:9001:2015 MOCA/FCM, NSF, WRAS, KTW, ACS UL, ENEC, CE



800D SERIES








Applications







NOTHING GREAT HAS EVER BEEN DONE WITHOUT PASSION

Thanks for your attention



www.rpesrl.it